



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

» Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "(((sense or sensing or detect or detecting) and differential amplifier and saturation)<in>meta..." 


Your search matched 2 of 1286976 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search


☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

## Select Article Information

- ☐ 1. Charge-and-split sense amplifier for multilevel nonvolatile memories  
Torelli, G.; Calligaro, C.; Manstretta, A.; Pierin, A.; Rolandi, P.;  
Electronics Letters  
Volume 35, Issue 10, 13 May 1999 Page(s):796 - 798  
Digital Object Identifier 10.1049/el:19990529  
[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) IEEE JNL
- ☐ 2. A simple way to extend the common-mode input-voltage range of the MO pair  
Minch, B.A.;  
Circuits and Systems, 2002. MWSCAS-2002. The 2002 45th Midwest Sympos  
Volume 1, 4-7 Aug. 2002 Page(s):I - 97-100 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(299 KB) IEEE CNF

[View Selected Items](#)[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -

BEST AVAILABLE COPY

**BEST AVAILABLE COPY**

[illegible]

**BEST AVAILABLE COPY**